





Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.AK



Copyright MME NA Inc. all rights reserved. Reproduction or other use of these designs without written consent from MME NA Inc. is prohibited.
All ladder systems require reinforced walls, cabinets, or shelving.

Telescopic Ladder SL.6003.AK

Date Prepared: October 2018

Prepared By: CDA | JRT








NORTH AMERICA

Email: info@mwe-na.com

www.mwe-na.com

Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.AK



Copyright MWE NA Inc. all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc is prohibited.
All ladder systems require reinforced walls, cabinets, or shelving.


Telescopic Ladder SL.6003.AK.E

Date Prepared: October 2018

Prepared By: CDA | JRT

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.

All ladder systems require reinforced walls, cabinets, or shelving.





MME[®]
NORTH AMERICA

Prepared By: CDA | JRT

Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.KL



Copyright MWE NA Inc., all rights reserved. Reproduction or other use
of these designs without written consent from MWE NA Inc. is prohibited.
All ladder systems require reinforced walls, cabinets, or shelving.




Telescopic Ladder SL.6003.KL

Date Prepared: October 2018

Prepared By: CDA | JRT

Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.KL





Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.
All ladder systems require reinforced walls, cabinets, or shelving.

Telescopic Ladder SL.6003.KL.E

Date Prepared: October 2018 Prepared By: CDA | JRT

Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]
require safety side rails SL.6052.KL



Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.
All ladder systems require reinforced walls, cabinets, or shelving.

Telescopic Ladder SL.6003.KL

Date Prepared: October 2018

Prepared By: CDA | JRT