
EDITION 1.7










with exclusive fixing technology

KARCHER DESIGN provides an extensive range of contemporary lever designs as well as window handles, door pulls, and accessories. The range is offered in a Satin Stainless Steel finish with select designs available in Polished Stainless Steel or a dual Polished/Satin finish. German engineering assures excellent functionality and years of worry-free service.

KARCHER DESIGN is based in southwestern Germany in the state of Baden-Wurttemberg which borders both France and Switzerland. The area has a long history of industrial design and manufacturing and is home to leading automotive companies Mercedes Benz, Porsche and Audi.

KARCHER DESIGN NA, located in Seattle, is a fully-owned subsidiary of the parent company. Its focus is to provide customer service and product distribution to the growing North American market. In choosing Seattle, Karcher found a home with a climate very much like that in Germany and a thriving high-tech community that will provide inspiration for future product innovation.

KARCHER DESIGN supports door and hardware showrooms, architects, and contractors. Our qualified customer service team assures a smooth and accurate ordering process as well as expert service after the sale. All products are kept in stock at high inventory levels. So whether your project is a single door, a sports stadium, or a high-rise condominium, delivery will be prompt and complete.




CONTENTS

Three Piece Rose System	2
Finishes	3
Handing guide for swinging doors	4
Plan Design	6
Lever Handles	0
Lever Handles in Material Combinations 5	0
Ancillary Products	2
Knobs	8
Pull Handles	4
Window Handles	0
Pocket Door Sets	4
Accessory Products	6
Presentation Concept	4

PRODUCT ADVANTAGES OF THE THREE PIECE ROSE SYSTEM




DESIGNS OF STAINLESS STEEL



FINISHES	color code / example
Satin stainless steel	
Polished stainless steel	
Polished/ Satin stainless steel	
Polished chrome	
Satin nickel	
Polished chrome/ Satin nickel also: Polished chrome/ Satin stainless steel (65)	
Oil rubbed bronze	
Cosmos black (93)	

HANDING GUIDE FOR SWINGING DOORS:



FUNCTIONS:

Please specify either 2 3/8" or 2 3/4" backset at time of ordering. Both full lip and T-strikes are provided with each latch. Please specify door thickness in order to assure proper lenght spindle is supplied.

for II	ER and	TIEDO	COTC

PAS	passage
PRI	privacy
DUM	full dummy
DUML	half dummy left
DUMR	half dummy right

for TER and TERQ sets

LA	passage
DUM	full dummy
DUML	half dummy left
DUMR	half dummy righ

for sets on UEL plate

LA	single cylinder entry set
PAS	passage
PB	passage with privacy bolt
PAT	patio
DUM	full dummy
DUML	half dummy left
DUMR	half dummy right

for sets on RLE escutcheon plate		
PAS PB DUM DUML DUMR PZ92	passage passage with privacy bolt full dummy half dummy left half dummy right multipoint set, trim only, euro profile lever high, without spring	



Reference: Rainville Appartements, Hamburg, Architects: Michel Kagan Architecture & Associés Paris







MAGNETIC LOCK for Plan Design lever sets

image: TEPL 28

version: latch (LA), privacy bolt (PB) dummy (DUM) * This lock closes doors smoothly and silently without locking them. When the door is closed the magnet in the frame will pull out the latch. It can be reopened by pressing down the handle.

Since the latch never touches the door frame the lock for Plan Design sets has a longer duration than standard door locks. TEPL sets are available for all Karcher Design lever models.



Rhodos - TEPL 28

Finish: Diameter of lever: Rose: oil rubbed bronze Ø 3/4" (19 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)



Madeira - TEPL 45

Finish: Diameter of lever: Rose: oil rubbed bronze Ø 3/4" x 1" (18,5 x 26 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)

All Karcher Design lever models are available on Plan Design roses.





PLAN DESIGN



.... - TEPL 28


Diameter of lever: Rose: Satin stainless steel Ø 3/4" (19 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)



Mageira - TEPL 45

Finish:
Diameter of lever:

Satin stainless steel Ø 3/4" x 1" (18,5 x 26 mm) Ø 2 3/16" x 1/8" (55 x 3 mm)



Seattle - TEPL 46 Q

Finish: Diameter of lever: Rose: Satin stainless steel 3/4" x 13/16" (19 x 22 mm) 2 3/16" x 2 3/16" x 1/8" (55 x 55 x 3 mm)



Tasmania - TEPL 31 Q

Finish:
Diameter of lever:

Satin stainless steel ver: Ø 13/16" (22 mm) 2 3/16" x 2 3/16" x 1/8" (55 x 55 x 3 mm)

All Karcher Design lever models are available on Plan Design roses.

All Karcher Design lever models are available on Plan Design roses.

13




To suit standard 2 1/8" door prep



Torino – UR 53 Q Inlay: light oak appearance 25/8" rose Deadbolt: UEDB Q 71



Torino – UR 53 Inlay: light brown leather 25/8" rose Deadbolt: UEDB 71



Torino – UL 53 Inlay: satin cream white 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)





Torino – TR 53 Q Inlay: carbon 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Torino – TR 53 Inlay: satin gray 2 1/16" rose Privacy Bolt: UEZ1332 PB 71




Torino - RLE 53 Inlay: ebony 10 1/4" x 2 1/16" x 3/8" plate





Finish: Lever in polished chrome (50) Rose in polished stainless steel (72)



To suit standard 2 1/8" door prep



Torino - UR 53 Q Inlay: polished white 25/8" rose Deadbolt: UEDB Q 72



Torino - UR 53 Inlay: satin black 25/8" rose Deadbolt: UEDB 72



Torino – UL 53 Inlay: concrete appearance 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




Torino – TR 53 Q Inlay: black leather 2 1/16" rose Privacy Bolt: UEZ1340 PB 72



Torino – TR 53 Inlay: light oak 2 1/16" rose Privacy Bolt: UEZ1332 PB 72

Refer to price list for all functions and backset options






Manhattan - UER 21 Q 25/8" rose Deadbolt: UEDB Q 71



Manhattan - UER 21 25/8" rose Deadbolt: UEDB 71



Manhattan - UEL 21 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)




Manhattan - TER 21 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

14

Manhattan - TER 21 2 1/16" rose Privacy Bolt: UEZ1332 PB 71









Manhattan - UER 21 Q 25/8" rose Deadbolt: UEDB Q 71

Manhattan - UER 21 25/8" rose Deadbolt: UEDB 71


Manhattan - UEL 21 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Manhattan - TER 21 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

Manhattan - TER 21 2 1/16" rose Privacy Bolt: UEZ1332 PB 71






Crete - UER 27 Q 25/8" rose Deadbolt: UEDB Q 71



Crete - UER 27 25/8" rose Deadbolt: UEDB 71



Crete - UEL 27 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Crete - TER 27 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71 Crete - TER 27 2 1/16" rose Privacy Bolt: UEZ1332 PB 71

Crete - RLE 27 10 1/4" x 2 1/16" x 3/8" plate



Reference: Four Seasons, Denver, Architects: Carney Logan Burke







Rhodes Finish: Polished stainless steel (72) 131 mm (5 1/8")



9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)

To suit standard 2 1/8" door prep




Rhodes - UER 28 Q 2 5/8" rose Deadbolt: UEDB Q 71



Rhodes - UER 28 25/8" rose Deadbolt: UEDB 71



Rhodes - UEL 28 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)




25/8" rose

Deadbolt: UEDB 72

To suit non-bored doors

Deadbolt: UEDB Q 72

25/8" rose




Rhodes - TER 28 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

18





Rhodes - RLE 28 10 1/4" x 2 1/16" x 3/8" plate



Rhodes – TER 28 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72



Rhodes – TER 28 2 1/16" rose Privacy Bolt: UEZ1332 PB 72





Rhodes - UER 28 Q 2 5/8" rose Deadbolt: UEDB Q 81


Rhodes - UER 28 2 5/8" rose Deadbolt: UEDB 81

To suit non-bored doors




Rhodes – TER 28 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 81


Rhodes - TER 28 2 1/16" rose Privacy Bolt: UEZ1332 PB 81







Cyprus – UEL 29 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Cyprus - RLE 29 10 1/4" x 2 1/16" x 3/8" plate









Corsica - UER 30 25/8" rose Deadbolt: UEDB 71



Corsica – UEL 30 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Corsica - TER 30 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71


22



Corsica – TER 30 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Corsica - RLE 30 10 1/4" x 2 1/16" x 3/8" plate



Reference: Cheval Three Quays, London, Architects: 3D Reid Architects








Tasmania - UEL 31

9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)



Tasmania - UER 31 Q

Deadbolt: UEDB Q 71

25/8" rose

2 1/16" rose

24

Privacy Bolt: UEZ 1340 PB 71



Tasmania – UER 31 2 5/8" rose Deadbolt: UEDB 71

Tasmania – UEL 31 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

10 1/4" x 2 1/16" x 3/8" plate

To suit standard 2 1/8" door prep

Tasmania - UER 31

Deadbolt: UEDB 72


25/8" rose

To suit non-bored doors

Tasmania - UER 31 Q

Deadbolt: UEDB Q 72

2 5/8" rose



Privacy Bolt: UEZ 1332 PB 71


2 1/16" rose




Tasmania – TER 31 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72




Tasmania – TER 31 2 1/16" rose Privacy Bolt: UEZ1332 PB 72













Rio Steel - UEL 34

9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)





Rio Steel - UER 34

Deadbolt: UEDB 73

25/8" rose

To suit non-bored doors

Rio Steel - UER 34 Q

Deadbolt: UEDB Q 73

25/8" rose



Babylon – TER 32 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Babylon – TER 32 2 1/16" rose Privacy Bolt: UEZ1332 PB 73



Rio Steel - TER 34 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73




Rio Steel - TER 34 2 1/16" rose Privacy Bolt: UEZ1332 PB 73



Atlantis
Finish: Polished/satin stainless steel (73)



To suit standard 2 1/8" door prep



Lignano Steel - UER 35 Q 2 5/8" rose Deadbolt: UEDB Q 71



Lignano Steel - UER 35 2 5/8" rose Deadbolt: UEDB 71



Lignano Steel - UEL 35 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit standard 2 1/8" door prep



Atlantis - UER 36 Q 25/8" rose Deadbolt: UEDB Q 73



Atlantis - UER 36 25/8" rose Deadbolt: UEDB 73



Atlantis - UEL 36 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Lignano Steel – TER 35 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Lignano Steel – TER 35 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Lignano Steel - RLE 35 10 1/4" x 2 1/16" x 3/8" plate


To suit non-bored doors




Atlantis – TER 36 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Atlantis – TER 36 2 1/16" rose Privacy Bolt: UEZ1332 PB 73








Verona – UER 37 Q 2 5/8" rose Deadbolt: UEDB Q 71

Verona – UER 37 2 5/8" rose Deadbolt: UEDB 71


Verona – UEL 37 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)




Verona – TER 37 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

Verona - TER 37 2 1/16" rose Privacy Bolt: UEZ1332 PB 71

Verona - RLE 37 10 1/4" x 2 1/16" x 3/8" plate





Verona – UER 37 Q 2 5/8" rose Deadbolt: UEDB Q 72

Verona – UER 37

25/8" rose

Deadbolt: UEDB 72


Verona - UEL 37 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors



Verona - TER 37 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72

Verona – TER 37 2 1/16" rose Privacy Bolt: UEZ1332 PB 72






Verona – UER 37 Q 2 5/8" rose Deadbolt: UEDB Q 72 **Verona – UER 37** 2 5/8" rose Deadbolt: UEDB 72 **Verona – UEL 37** 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Verona – TER 37 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72 **Verona – TER 37** 2 1/16" rose Privacy Bolt: UEZ1332 PB 72





Deadbolt: UEDB 73


(5 1/2" Center to Center)


To suit non-bored doors

Deadbolt: UEDB Q 73



Porto - TER 43 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73 Porto - TER 43 2 1/16" rose Privacy Bolt: UEZ1332 PB 73






Madeira - UER 45 Q 2 5/8" rose Deadbolt: UEDB Q 71



Madeira - UER 45 2 5/8" rose Deadbolt: UEDB 71



Madeira - UEL 45 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Madeira – TER 45 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

34



Madeira - RLE 45 10 1/4" x 2 1/16" x 3/8" plate



To suit standard 2 1/8" door prep



Madeira – UER 45LH Q with light brown leather 2 5/8" rose Deadbolt: UEDB Q 71


To suit non-bored doors



Madeira – UER 45LD with dark brown leather 2 5/8" rose Deadbolt: UEDB 71



Madeira – UEL 45LS with black leather 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)





Madeira – TER 45LH Q with light brown leather 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Madeira – TER 45LD with dark brown leather 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Madeira - RLE 45LS with black leather 10 1/4" x 2 1/16" x 3/8" plate





Madeira - UER 45 Q 25/8" rose Deadbolt: UEDB Q 81

Madeira – UER 45 2 5/8" rose Deadbolt: UEDB 81

To suit non-bored doors



Madeira – TER 45 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 81


Madeira - TER 45 2 1/16" rose Privacy Bolt: UEZ1332 PB 81




To suit non-bored doors



Seattle - TER 46 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 81





Seattle - UER 46 Q 2 5/8" rose Deadbolt: UEDB Q 72




Seattle - UEL 46 Q 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Seattle - TER 46 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 72







Seattle - UER 46 Q 2 5/8" rose Deadbolt: UEDB Q 71



Seattle - UEL 46 Q 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors




Seattle - TER 46 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



Seattle - RLE 46 Q 10 1/4" x 2 1/16" x 3/8" plate






Oregon - UER 48 Q 25/8" rose Deadbolt: UEDB Q 71


Oregon - TER 48 Q

2 1/16" rose


Oregon - UER 48 2 5/8" rose Deadbolt: UEDB 71

Oregon - UEL 48 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)






Oregon - RLE 48 10 1/4" x 2 1/16" x 3/8" plate



To suit standard 2 1/8" door prep




Oregon - UER 48 Q 2 5/8" rose Deadbolt: UEDB Q 73

Oregon - UER 48 25/8" rose Deadbolt: UEDB 73

Oregon - UEL 48 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors





Oregon - TER 48 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73




Oregon - TER 48 2 1/16" rose Privacy Bolt: UEZ1332 PB 73











Privacy Bolt: UEZ1332 PB 71

10 1/4" x 2 1/16" x 3/8" plate

2 1/16" rose

2 1/16" rose Privacy Bolt: UEZ1332 PB 71

10 1/4" x 2 1/16" x 3/8" plate

2 1/16" rose


Privacy Bolt: UEZ1340 PB 71


Privacy Bolt: UEZ1340 PB 71











Ontario - UER 64 Q 2 5/8" rose Deadbolt: UEDB Q 71



Ontario - UER 64 25/8" rose Deadbolt: UEDB 71




Ontario - UEL 64 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit standard 2 1/8" door prep



Ontario - UER 64 Q 25/8" rose Deadbolt: UEDB Q 73



Ontario - UER 64 25/8" rose Deadbolt: UEDB 73




Ontario - UEL 64 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Ontario - TER 64 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71

Refer to price list for all functions and backset options




Ontario - TER 64 2 1/16" rose Privacy Bolt: UEZ1332 PB 71



Ontario - RLE 64 10 1/4" x 2 1/16" x 3/8" plate

To suit non-bored doors




Ontario - TER 64 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Ontario - TER 64 2 1/16" rose Privacy Bolt: UEZ1332 PB 73

Refer to price list for all functions and backset options





New York - UER 65 Q 25/8" rose Deadbolt: UEDB Q 71



New York - UER 65 25/8" rose Deadbolt: UEDB 71




New York - UEL 65 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



New York - TER 65 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 71



New York - TER 65 2 1/16" rose Privacy Bolt: UEZ1332 PB 71




New York - RLE 65 10 1/4" x 2 1/16" x 3/8" plate





To suit standard 2 1/8" door prep



New York - UER 65 Q 2 5/8" rose Deadbolt: UEDB Q 73



130 mm (5 1/8")

New York - UER 65 25/8" rose Deadbolt: UEDB 73



New York - UEL 65 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)


To suit non-bored doors




New York - TER 65 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



New York - TER 65 2 1/16" rose Privacy Bolt: UEZ1332 PB 73






2 5/8" rose

2 1/16" rose

48




25/8" rose






Toronto - UEL 71

9 13/16" x 2 3/8" x 1/2" plate





Kioto – UEL 72

9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)

Kioto – UER 72


Deadbolt: UEDB 71


25/8" rose


Kioto – UER 72 Q

Deadbolt: UEDB Q 71

25/8" rose








25/8" rose

50

Deadbolt: UEDB Q 71



2 5/8" rose

Deadbolt: UEDB 71

To suit non-bored doors




Futura - TER 84 2 1/16" rose Privacy Bolt: UEZ1332 PB 71

9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)


Futura - RLE 84 10 1/4" x 2 1/16" x 3/8" plate





25/8" rose

Deadbolt: UEDB 71



Privacy Bolt: UEZ1332 PB 71


25/8" rose

Deadbolt: UEDB Q 71

Privacy Bolt: UEZ1340 PB 71


9 13/16" x 2 3/8" x 1/2" plate

(5 1/2" Center to Center)



Starlight

Finish: polished chrome / satin stainless steel (65)



To suit standard 2 1/8" door prep



Starlight - UR 38 Q 2 5/8" rose Deadbolt: UEDB Q 73



Starlight - UR 38 2 5/8" rose Deadbolt: UEDB 73



Starlight - UL 38 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors




Starlight - TR 38 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73

52



Starlight - TR 38 2 1/16" rose Privacy Bolt: UEZ1332 PB 73



To suit standard 2 1/8" door prep



Phoenix - UR 40 Q 2 5/8" rose Deadbolt: UEDB Q 73



Phoenix - UR 40 25/8" rose Deadbolt: UEDB 73



Phoenix - UL 40 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

To suit non-bored doors



Phoenix - TR 40 Q 2 1/16" rose Privacy Bolt: UEZ1340 PB 73



Phoenix - TR 40 2 1/16" rose Privacy Bolt: UEZ1332 PB 73









UEDB Q 71 satin stainless steel





UEDB Q 72 polished stainless steel





UEDB Q 73 polished/satin stainless steel





UEDB Q 81 oil rubbed bronze





UEDB Q 83



cosmos black

Single Cylinder Deadbolt - UEDB Q suits standard door prep 2 1/8"





Solid brass cylinder with a c-keyway From inside concealed fixing with a 3-piece rose (2 5/8" x 2 5/8" (67mm)) Adjustable latch 2 3/8" (60 mm) and 2 3/4" (70 mm) Matching adjustable UL-listed latch 2 3/8" (60 mm) and 2 3/4" (70 mm)



57




cosmos black

Privacy bolt – UEZ1332 PB 2 1/16" rose for non-bored doors

3 piece rose Ø 2 1/16" (52 mm) Backset 2 3/8" and 2 3/4" (60 mm and 70 mm)











:Z1340 Q - PB 71 satin stainless steel





:Z1340 Q - PB 72 polished stainless steel





:Z1340 Q - PB 73 polished/satin stainless steel





UEZ1340 Q - PB 81 oil rubbed bronze





UEZ1340 Q - PB 83 cosmos black


Privacy bolt – UEZ1340 PB 2 1/16" rose for non-bored doors

3 piece rose 2 1/16" x 2 1/16" (52 mm)

Backset 2 3/8" and 2 3/4" (60 mm and 70 mm)

Special door prep required!





56 Control of the con




Solid brass cylinder with a c-keyway Adjustable latch 2 3/8" (60 mm) and 2 3/4" (70 mm)

Two distance rings UEZ D1 required for door thickness 1 3/8" (35 mm) and thinner One distance ring UEZ D1

required for door thickness 1 13/16" - 2 5/16" (46 - 59 mm)








DESIGNS

Reference: Hoernlihuette, Matterhorn (Zermatt) Switzerland, Renovation: Arnold Perren Zurniwen GmbH





Knob – UEK 530 R centered (standard)

Finish: Satin stainless steel (71)

To suit standard 2 1/8" door prep




Knob – UEK 530 R 2 5/8" rose




Knob on UEL plate - UEL 530 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Knob on RLE plate - RLE 530





Knob - UEK 300 R centered Finish: Satin stainless steel (71)

To suit standard 2 1/8" door prep



Knob - UEK 300 R 2 5/8" rose



Knob on UEL plate - UEL 300 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)

GERMANY



Knob - TEK 530 R 2 1/16" rose


10 1/4" x 2 1/16" x 3/8" plate




Knob - TEK 300 R 2 1/16" rose



Knob on RLE plate - RLE 300 10 1/4" x 2 1/16" x 3/8" plate





Knob - UEK 550 GRQ offset (standard)

Finish: Satin stainless steel (71)

To suit standard 2 1/8" door prep



Knob – UEK 550 GRQ 2 5/8" rose




Knob on UEL plate - UEL 550 GRQ 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Knob on RLE plate - RLE 550 GRQ 10 1/4" x 2 1/16" x 3/8" plate



Glass knob – UK 400 R2 Finish: Satin stainless steel (71)



GERMANY

To suit standard 2 1/8" door prep



Knob - UK 400 2 5/8" rose



Knob on UEL plate - UEL 400 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Knob - TEK 550 GRQ 2 1/16" rose






Knob - TK 400 R 2 1/16" rose




Knob on RLE plate - RLE 400 10 1/4" x 2 1/16" x 3/8" plate





Finish: Satin stainless steel (71)


To suit standard 2 1/8" door prep



Knob - UEK 450 2 5/8" rose




Knob on UEL plate - UEL 450 9 13/16" x 2 3/8" x 1/2" plate (5 1/2" Center to Center)



Knob - TEK 450 2 1/16" rose



Knob on RLE plate - RLE 450 10 1/4" x 2 1/16" x 3/8" plate




Reference: Van der Valk, Enschede, Niederlande, Architect: Paul Teunissen


OF



















Pull handle - ES 31

Finish: satin stainless steel Fixing center: 11 13/16" (300 mm), Ø 7/8" (22 mm) 15 3/4" (400 mm), Ø 1" (25 mm)




Pull handle - ES 46

Finish: satin stainless steel Fixing center: 11 13/16" (300 mm) 15 3/4" (400 mm) Ø 3/4" x 7/8" (19 mm x 22 mm)



Finish: satin/polished stainless steel Fixing center: 11 13/16" (300 mm) or 15 3/4" (400 mm) Ø 13/16" (20 mm)



Pull handle - ES 37


oval shape
Finish: satin stainless steel
Fixing center:
11 13/16" (300 mm)
Ø 15/16" x 11/16" (24 mm x 17 mm)
Oval shape
Finish: satin stain
Fixing center:
11 13/16" (300 mm)
11 13/16" (300 mm)
15 3/4" (400 mm)


Pull handle - ES 48


oval shape Finish: satin stainless steel Fixing center: 11 13/16" (300 mm) 15 3/4" (400 mm) Ø 13/16" x 1" (20 mm x 26 mm)



oval shape Finish: satin stainless steel Fixing center: 11 13/16" (300 mm) 15 3/4" (400 mm) Ø 9/16" x 1" (15 mm x 25 mm)









Pull handle - ES3

oval shape Finish: cosmos black Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm)

Ø 1 1/4" (32 mm)

Pull handle - ES3 LD

oval shape Finish: satin stainless steel with dark-brown leather Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm) 55 1/8" (1400 mm) 63" (1600 mm) 70 7/8" (1800 mm) 78 3/4" (2000 mm)

Ø 1 1/4" (32 mm)

Pull handle - ES3


oval shape
Finish: polished stainless steel
Overall length:
11 13/16" (300 mm)
15 3/4" (400 mm)
19 11/16" (500 mm)
23 5/8" (600 mm)
27 9/16" (700 mm)
31 1/2" (800 mm)
39 3/8" (1000 mm)
47 1/4" (1200 mm)



Pull handle - ES 3

Finish: satin stainless steel Overall length: 11 13/16" (300 mm) 15 3/4" (400 mm) 19 11/16" (500 mm) 23 5/8" (600 mm) 27 9/16" (700 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm) 47 1/4" (1200 mm) 55 1/8" (1400 mm) (1600 mm) 70 7/8" (1800 mm) 78 3/4" (2000 mm)

Ø 1 1/4" (32 mm)




Pull handle - ES 3G


option: cranked 45°
Finish: satin stainless steel
Overall length:
11 13/16" (300 mm)
15 3/4" (400 mm)
19 11/16" (500 mm)
23 5/8" (600 mm)
27 9/16" (700 mm)
31 1/2" (800 mm)
39 3/8" (1000 mm)
47 1/4" (1200 mm)

39 3/8" (1000 mm) 47 1/4" (1200 mm) 55 1/8" (1400 mm) 63" (1600 mm) 70 7/8" (1800 mm)

Ø 1 1/4" (32 mm)



68



Pull handle - ES8

oval shape
Finish: satin stainless steel
Overall length:
11 13/16" (300 mm)
15 3/4" (400 mm)
19 11/16" (500 mm)
23 5/8" (600 mm)
27 9/16" (700 mm)
31 1/2" (800 mm)

Ø 1" (25,3 mm)


Pull handle - ES 20

Finish: satin stainless steel Fixing center: 13 3/4" (350 mm) Ø 7/8" (22 mm)

Pull handle - ES 6Q

Finish: satin stainless steel Overall length: 15 3/4" (400 mm) 23 5/8" (600 mm) 31 1/2" (800 mm) 39 3/8" (1000 mm)

rectangular shape 13/16" x 1 9/16" (20 mm x 40 mm)







Fixing material for pull handles



fixing as pair for timber, PVC or metal door



EZ 1061 fixing as pair, for glass door



EZ 1064 secret face fixing for frame or PVC doors



EZ 1065bolt through fixing for wood or frame doors with caps on the other side

Pull handle - ES 43


oval shape Finish: satin/polished stainless steel Fixing center: 15 3/4" (400 mm) Ø 11/16" x 13/16" (17 mm x 22 mm)



EZ 1062bolt through fixing for glass door with caps on the other side




EZ 1079bolt through fixing for pull handles



70 71











EF214

Finish: satin stainless steel, polished stainless steel, cosmos black Matching lever Manhattan (page 12)




EF 274

Finish: satin stainless steel, polished stainless steel Matching lever: Crete (page 14)




EF 284

Finish: satin stainless steel, polished stainless steel, oil rubbed bronze
Matching lever:
Rhodes (page 16)




Rotates in 4 positions at 90° Hole distance: 1 11/16" (43 mm) Fixing: M5 with fixing lugs Ø 3/8" (10 mm), 1/4" (7 mm) spindle, lenght: 1 3/8" (35 mm) Cap: 2 9/16" x 1 3/16" x 1/2" (65 x 30 x 12 mm)




EF 454 Q

Finish: satin stainless steel Optionally with oval cover EF454 Matching lever: Madeira (page 32)




EF 464 Q

Finish: satin stainless steel and polished stainless steel Optionally with oval cover EF464 Matching lever: Seattle (page 35)



EF 514

Finish: satin stainless steel Matching lever: London (page 40)



Rotates in 4 positions at 90° Hole distance: 1 11/16" (43 mm) Fixing: M5 with fixing lugs Ø 3/8" (10 mm), 1/4" (7 mm) spindle, lenght: 1 3/8" (35 mm) Cap: 2 9/16" x 1 3/16" x 1/2" (65 x 30 x 12 mm)







satin stainless steel (71)



polished stainless steel (72)



oil rubbed bronze (81)



cosmos black (83)



Lock with strike plate, outside pull with

emergency release, inside pull with thumb turn,

5/16" x 5/16" (8 x 8 mm) spindle and edge pull

Pull: Ø 2 1/2" x 3/8" (63 mm x 10 mm)



Pocket door set - EPD OS
Outside pull blank, inside pull blank


and edge pull Pull: Ø 2 1/2" x 3/8" (63 mm x 10 mm)

(without image)

Pocket door set – EPD PB

Lock with strike plate, outside pull with thumb turn, inside pull with thumb turn, 5/16" x 5/16" (8 x 8 mm) spindle and edge pull

Pull: Ø 2 1/2" x 3/8" (63 x 10 mm)





satin stainless steel (71)



polished stainless steel (72)





oil rubbed bronze (81)



cosmos black (83)



Pocket door set - EPD Q

Lock with strike plate, outside pull with emergency release, inside pull with thumb turn, 5/16" x 5/16" (8 x 8 mm) spindle and edge pull Pull: 2 1/4" x 2 1/4" x 3/8" (57 x 57 x 10 mm)

(without imgage)

Pocket door set - EPD OS

Outside pull blank, inside
pull blank and edge pull
Pull: 2 1/4" x 2 1/4" x 3/8"
(57 x 57 x 10 mm)




(without image)


Pocket door set – EPDQ PB

Lock with strike plate,
outside pull with thumb turn,
inside pull with thumb turn,
5/16" x 5/16" (8 x 8 mm)
spindle and edge pull
Pull: 2 1/4" x 2 1/4" x 3/8"
(57 x 57 x 10 mm)





77



Floor door stop - EZ 211


Finish: satin stainless steel Diameter: Ø 1 3/4" (45 mm), Height: 1 3/16" (30 m<u>m)</u>





Floor door stop - EZ 215


Finish: satin stainless steel Diameter: Ø 2 9/16" (65 mm), Height: 1" (25 mm) Fixing material: 1 screw and dowel



Floor door stop – EZ 213

No fixing required (not suitable for corridors)


Finish: satin stainless steel Diameter: Ø 4" (90 mm) Height: 2 1/2" (63 mm), Weight: 4,8 lb (2,2 kg)






Floor door stop - EZ 212

Finish: satin stainless steel Diameter: Ø 1 3/8" (35 mm), Height: 2" (50 mm)



Floor door stop extension - EZ 215 G

(without image) Plastic, Height: 3/8" (10 mm)





Floor door stop - EZ 216

Finish: satin stainless steel

Diameter: 1 1/4" x 1 1/4"

Height: 1 11/16" (43 mm)

(31 x 31 mm),


Ø31 mm (1 1/4")



Floor door stop – EZ 214

No fixing required (not suitable for corridors)

Finish: satin stainless steel Diameter: Ø 4" (90 mm), Height: 1 5/16" (33 mm), Weight: 2,2lb (1,0 kg)





Floor door stop – EZ 217

Finish: satin stainless steel, oil rubbed bronze, cosmos black Diameter: Ø 1 3/8" (35 mm), Height: 1 2/3" (41 mm)





Floor door stop - EZ 217Q


Finish: satin stainless steel, oil rubbed bronze, cosmos black Diameter: 1 3/8" x 1 3/8" (35 x 35 mm), Height: 1 2/3" (41 mm)



Floor door stop – Z 1925

Finish: polished chrome, satin nickel Diameter: Ø 1 1/2" (37 mm), Height: 1 7/16" (37 mm)








19 mm (3/4")

Wall door stop - EZ 209

Finish: satin stainless steel
Diameter: Ø 1 1/4" (31 mm)
Length: 1 3/16" (30 mm)



Wall door stop - EZ 210

Finish: satin stainless steel Diameter: Ø 2" (52 mm) Length: 3 1/8" (80 mm)





Sliding door handle EZ 1702


Options: without hole, key hole, euro profile Finish: satin stainless steel Length: 4 3/4" (120 mm) Width: 1 5/8" (41 mm) Drilling dimensions: 1 3/16" x 3 3/4" x 1/2" (30 x 95 x 13 mm)






Sliding door handle EZ 1703 Q


Options: without hole, key hole, euro profile Finish: satin stainless steel Length: 4 3/4" (120) mm Width: 1 5/8" (41 mm) Drilling dimensions: 1 3/16" x 3 3/4" x 1/2" 30 x 95 x 13 mm






Door knocker – ET1

Finish: satin stainless steel, polished stainless steel Height: 5 1/2" (140 mm) Width: 1 15/16" (50 mm) Depth: 13/16" (20 mm)



Sliding door handle - Z 1702

Options: witout hole, key hole, euro profile
Finish: polished chrome, satin nickel
Drilling dimensions: 1" x 3 5/8" x 3/8" (25 x 92 x 10mm)








abc

House numbers - EZ 205 *


Options: * 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, e, / Finish: satin stainless steel and polished stainless steel Height: 5 7/8" (150 mm) for numbers, 4 3/8" (110 mm) for letters, Thickness: 1/16" (2 mm) for wall fixing



23


House numbers - EZ 207 *


Options: * 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, a, b, c, d, e, / Finsh: satin stainless steel Height: 4" (100 mm) for numbers, 2 15/16" (75 mm) for letters Thickness: 1/16" (2 mm) for door fixing



80









Signs – EZ 202Finish: satin stainless steel Options:
EZ202 D – female

EZ202 H - male EZ202 WT - baby change EZ202 B - disabled EZ202 M - no mobile EZ202 N - no smoking Dimensions: 4 3/4" x 2" 4 3/4" x 1 1/2" 4 3/4" x 2 1/2" 4" x 2 1/4" 4 1/2" x 3 3/8"

4" x 3"

(120 x 50 mm) (120 x 38 mm) (120 x 63 mm) (100 x 57 mm) (115 x 85 mm) (100 x 75 mm)



Reference: Cheval Three Quays, London, Architects: 3D Reid Architects





door bell - EZ 303 Q
Finish: satin stainless steel /
polished stainless steel

Dimensions: 1 1/4" x 2 15/16" (32 mm x 75 mm)

invisible fixing



door bell - EZ 302 Q Finish: satin stainless steel / polished stainless steel

2 screws with plugs 1/4" x 1 3/16" (6 x 30 mm) dimensions: 2 3/4" x 2 3/4" x 3/16" (70 mm x 70mm x 5 mm)

invisible fixing







door bell - EZ 301Finish: satin stainless steel / polished stainless steel

2 screws with plugs 1/4" x 1 3/16" (6 x 30 mm) dimensions: Ø 2 3/4" (70 mm)

invisible fixing

84

■ Revolving display TD11SR

3 sides, 34 samples on black boards 6' 10 11/16" x 20 7/8" (210 cm x Ø 53 cm)

Double sided display 411US

2 sides, 10 samples on black boards 5'10 1/16" x 12 5/8" x 12 5/8" (178 cm x 32 cm x 32 cm)





▲ Aluminium suitcase 12E

12 samples on boards 20 1/2" x 18 1/3" x 5 1/2" (52 cm x 46,5 cm x 14 cm)



Table display 116USR

2 levers sets on 2 5/8" rose on a black and red table stand 13" x 7" x 8" (330 mm x 178 mm x 203 mm)



■ Table display 116EPD

2 sides, 1 EPD set on a black and red table stand 12 5/8" x 5 1/2" x 6 5/16" (320 mm x 140 mm x 160 mm)





(no purchasable exemplaries)



Torino - UR53 cosmos black with carbon inlay



BARTELS

Tasmania - UER31

DOORS & HARDWARE MADE IN GERMANY

cosmos black with carbon wrapped



Tel 954-924-6137 Fax 954.924.6138

sales@bartelsdoors.com www.bartelsdoors.com



GERMANY Seattle Office and

Seattle Office and Warehouse:

Karcher Design NA 1042 Industry Drive Tukwila, WA 98188 Tel.: (844) 858-2033 Fax: (253) 236-4469 order@karcher-design.com www.karcher-design.com